	Application No.	Applicant(s)
Notice of Allowability	10/659,542	LOGOTHETIS, JAMES J.
	Examiner	Art Unit
	Dean O. Takaoka	2817
	Dean O. Takaoka	2017
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>Applicant's amendment dated November 28, 2005</u> .		
2. The allowed claim(s) is/are <u>1-12,14-19,22 and 23</u> .		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. X CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) 🔲 including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	5 □ Notice of Informal D	atent Application (PTO-152)
 Notice of References Cited (PTO-892) Notice of Draftperson's Patent Drawing Review (PTO-948) 	6. ☐ Interview Summary	, , , , , , , , , , , , , , , , , , , ,
	Paper No./Mail Date	e
 Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 	8), 7. Examiner's Amendm	nent/Comment
4. Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's Stateme	nt of Reasons for Allowance
of Biological Material	9.	
	·	

DETAILED ACTION

Drawings

With respect to Applicant's remarks in the amendment dated November 28, 2005, Applicant correctly remarks that box 10 was checked in the Office action Summary dated July 11, 2005 because formal drawings are requested on or before payment of the issue fee.

Allowable Subject Matter

Claims 1 – 12, 14 –19, 22, and 23 are allowed.

The following is a statement of reasons for the indication of allowable subject matter:

Ammar shows a coupling assembly comprising a plurality of substrate layers and flange layer fusion bonded together in a stacked arrangement but does not teach or suggest at least the limitations of the independent claims where signal paths formed on at least two of the plurality of substrate layers are connected by plated via holes (claim 1); where the embedded signal processing circuitry comprises first and second signal processing circuitry coupled to the signal input and output respectively and to first and second signal connections exposed within the cavity (claim 22); where the flange layer comprises a substantially homogenous metal core and where the composite substrate layers comprise fluoropolymer composite materials (claims 14 and 23), nor would it be obvious to combine the prior art of record thus the claims are allowable.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dean O. Takaoka whose telephone number is (571) 272-1772. The examiner can normally be reached on 8:30a - 5:00p Mon - Fri.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert Pascal can be reached on (571) 272-1769. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

dot

December 8, 2005